

A man with a beard, wearing a white t-shirt, grey work gloves, and a black headlamp with the GROZ logo, is focused on working on a car's suspension system. The background features horizontal orange and black stripes.

GROZ

L
E
D

W
O
R
K
L
I
G
H
T
S

GL-10



GROZ presents industry's premium line of high performance LED lights. All lights are carefully designed and manufactured with improved light output, battery capacity, ergonomics, durability, user-friendliness and functionality. Incorporating the latest technology, these are ideal for the professional users in industry, automotive, construction, agricultural, mining, adventure and several other outdoor applications.


LED technology is amongst the fastest evolving technologies. Due to our distinctive strength in product design, manufacturing and in-house know-how we have the capability to constantly upgrade our product line and pursue new opportunities. We strive to be an active partner for our customers and users and constantly work on providing, technical know-how, marketing and service support to help sell the product.



INSIDE

I

www.groz-tools.com




WORKLIGHTS

LED-695	Worklight Bluetooth Speakers	7
LED-550 LED-560	Worklight - Impact Resistant	8
LED-670	Worklight - Dual Power	10
LED-680	Worklight - Dual Head	12
LED-685	Cordless Site Lamp - 3 Head Design	14
LED-660	Sitelamp - 360° Swivel	16
LED-800	Worklight - Cable Reel	17
LED-602	Site Lamp - AC Powered	18
LED-612	Site Lamp with Tripod - AC Powered	19
LED-616	Foldable Worklight AC Powered	20
LED-621	Worklight - 270° Swivelling with Magnetic Base	21
LED-650	Worklight - 270° Swivelling	22
LED-630	Worklight - DC Powered	23
LED-385 LED-385RM	Folding Worklight	24
LED-370	Slim Worklight - 360° Swivel	26
LED-390	Worklight - 360° Rotating Hook	28
LED-360	Worklight - 360° Swivel	29
LED-375	Worklight - Wireless Charging	30
LED-395	Worklight - Intensity Control	32
LED-396	Worklight - Intensity Control & Battery Display	34
LED-376U	Worklight - UV & Dual Charging	36
LED-397	Worklight - Intensity Control & Bluetooth Speaker	38
LED-185	Folding Worklight - Intensity Control	40
LED-186	Inspection Light - Flexible	42
LED-345	Inspection Lamp - Unbreakable	43
LED-346	Rechargeable Worklight With Jump Starter	44
LED-355	Underhood Light -Magnetic Ends	45
LED-351	Underhood Light - Expandable	46

II

www.groz-tools.com



FLASHLIGHTS

LED-140	Flashlight - Slim Pocket Size	49
LED-150	Flashlight - Rechargeable	50
LED-190	Flashlight - High Power	51
LED-335	Penlight	52
LED-336	Penlight - High Power	53
LED-160 LED-165R	Penlight - Pivoting head	54
LED-170 LED-170R	Flashlight - Pivoting Head, UV & Laser	56
LED-175	Pen Light UV and Laser	58
LED-402	Spotlight - Waterproof	59
LED-131 LED-132	Pick-Up Light - Telescopic	60






HEADLAMPS

LED-245	Headlamp - Rechargeable 5W LED	63
LED-220	Headlamp - Rechargeable With Hand Sensor	64
LED-225	Headlamp - Dual Mode & Hand Sensor	65
LED-230	Headlamp - Dual Mode	66
LED-250	Headlamp - Strip Light With Hand Sensor	67



FLOODLIGHTS

LED-505	Floodlight - 12W	69
LED-501 LED-502	Floodlight - 15W	70
LED-501S	Floodlight - 15W Compact	71
LED-520	Floodlight - 15W Supercool	72
LED-530	Floodlight - 18W Supercool	73
LED-512	Floodlight - 27W	74
LED-545	Floodlight - 30W	75
LED-541	Floodlight - 45W	76
LED-515	Floodlight - 48W	77



LIGHT BARS

LED-701	Light Bar - 36W	79
LED-711	Light Bar - 72W	80
LED-721	Light Bar - 120W	81

WE MAKE
THE JOB EASY!

TERMS & CONDITIONS

Intellectual Property: The intellectual property of this catalogue is assigned to all countries of the world. Reproduction, full and/or partial adaptation of its content (content, images, diagrams, icons, specifications, tables etc.) by any means without prior written permission from GROZ ENGINEERING TOOLS's copyrights and constitutes an act of unfair competition.

Technical Data: All drawings, weights, dimensions, the descriptions & illustrations contained in the company's catalogues are only approximate and intended merely to give a general description of the goods described therein.

Specifications: The information contained in this catalogue is as accurate as possible and complies, as far as possible with existing regulations at the time of its publication – April 2023. We therefore reserve the right to make modifications in line with modifications to regulations and/ or product specifications, drawings, illustrations for continual improvement. Buyers must ensure that goods are suitable for the purpose intended. Imperial dimensions shown as equivalents to metric and vice-versa are approximate.

Delay in Delivery: Delay in completion of work, delivery or in case of a contract for delivery by installments, delay in delivery of an installment shall not give rise to any liability upon the company whether or not any time of date is given in this respect and shall not entitle the customer to terminate the contract.

Liability: All goods are guaranteed to do the work for which they are designed. If the goods or any part thereof are defective solely as a result of faulty materials or workmanship of the company, the company's liability shall be limited, at its discretion either to replacing such goods or the defective parts. But no such liability shall arise unless notification of any defect is received by the company in writing within 90 days from the receipt of goods by the buyer and the allegedly defective goods are thereafter returned to the company carriage paid with appropriate pre-notification.

Indemnity: The customer shall indemnify the company against all claims in respect of any loss, injury or damage sustained by a third party arising from the sales of the goods to the buyer how so ever caused and also against all actions, proceedings, costs, claims, demands and expenses made, brought or claimed against the company in respect of the infringement of any patent, trademark or registered design.

01

Worklight
Bluetooth Speaker

LED-695



NEW!
CE
RoHS
IP54

Rechargeable COB worklight with bluetooth speakers

Light Output

Multiple settings for optimised control over output & run time

INTENSITY	100%	80%	60%	40%	20%
LUMEN	1000	800	600	400	200
RUN TIME	1.5 hours	3 hours	3.5 hours	6 hours	10 hours

Powerful Bluetooth Speaker

Superior sound quality bluetooth speaker with range upto 10 meter (32') for endless music at work

Compatible with Android & IOS Press and hold the ON/OFF button to switch on Bluetooth and connect to "BT1000" from your phone

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. Impact resistant ABS body with aluminium fins on the back for efficient heat dissipation

Versatile Use

- a. Use as a free standing worklight with mounting bracket for hands-free working
- b. Attached to any metallic surface using the magnet on bracket handle
- c. Hung from a scaffolding
Bracket handle is designed for direct mounting on the scaffolding bracket leaving both hands free

Charging of Battery


Recharge using micro USB cable provided with the light

Charge your phone

Rechargeable battery also doubles up as a power bank



10W Powerful COB light



Mounting bracket can be rotated 180°



Hands-free operation
Affix light on any metal surface using magnet on the handle




USB output to charge mobile phones

POWER SOURCE




7.4V 2000 mAh



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/695	55117	7-23/64 x 4-53/64 x 1-63/64	187 x 122.5 x 50.5	10

WORKLIGHTS



Powerful rechargeable COB worklight designed for the professional user

Available in two versions

- a. LED-550 10W COB
- b. LED-560 20W COB

Light Output

Single button controlled variable output. Simply push button to change from 50% intensity to full 100% power

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof & corrosion resistant aluminium die cast housing in premium powder coated finish with rubberised edge guards make it resistant to shocks and vibration – common on any jobsite

Versatile Use

Can be used as:

- a. Free standing worklight with mounting bracket that can be rotated 180° to focus light in need
- b. Attached to any metallic surface using the magnetic base plate. The magnetic base plate can be easily removed
- c. Hung from a scaffolding, bracket Handle is designed for direct mounting on the scaffolding bracket leaving both hands free for any other job

Complete with USB cable & magnet holder

Charging of Battery


Battery can be recharged using standard USB cable provided with the light

Charge Your Phone

Rechargeable battery also doubles up as a power bank



LED-550
10W COB



INTENSITY	100%	50%
LUMEN	1000	500
RUN TIME	3 hours	6 hours

POWER SOURCE




3.7V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxH)		BOX QTY.
		(INCH)	(MM)	
LED/550	55046	6-11/16 x 5	170 x 125	10



LED-560
20W COB



INTENSITY	100%	50%
LUMEN	2000	1000
RUN TIME	3 hours	6 hours

POWER SOURCE



7.4V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxH)		BOX QTY.
		(INCH)	(MM)	
LED/560	55047	7-9/32 x 5-1/2	185 x 140	8

CE
RoHS
IP54
IK07



Use magnetic base to attach to any metallic surface




Mounting bracket can be rotated 180°



Impact Resistant



In-built power banks to charge mobile devices



SCAN TO WATCH



Dual power worklight for use on construction sites, in general maintenance, workshops etc.

Light Output

Single button controlled variable output. Simply push button to change from 50% to full 100% intensity

	LITHIUM ION BATTERY		AC SUPPLY
INTENSITY	100%	50%	100%
LUMEN	2800	1400	2800
RUN TIME	2 hours	4 hours	-

Cool Light

Finned design reduces heating up of light

Sturdy Construction

- IP 54 Rated**
Protected against dust and effects of water spray from any direction
- IK 07 Rated**
Impact-proof & corrosion resistant aluminium die cast housing in premium powder coated finish. Rubberised edge guards make the light resistant to shocks and vibration – common in on any jobsite

Versatile Use


Can be used as:

- Free standing worklight with mounting bracket
- On magnetic base - removable magnetic base can be attached onto any metallic surface leaving both hands free
- On tripod stand to light overhead work or minimise shadows when directing the light downwards.

Charge Your Phone

Rechargeable and removable battery pack also doubles as a power bank

DUAL POWER SOURCE



7.4V 4400 mAh 220V AC, 50Hz
115 V AC, 60Hz




LED-670
Worklight



Portable




Mounting bracket pivots full 180°
to focus light as required



LED-670T
Telescopic Tripod
Stand Mounting



Rechargeable Li-ion battery



In-built power bank to charge
mobile devices



AC Supply



ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/670	55050	Worklight	9.5 x 10 x 5	24 x 26 x 13	4
LED/670T	55077	Worklight complete with tripod	46 x (48 to 75-1/2) x 46	117 x (122 - 192) x 117	4



SCAN TO
WATCH



Powerful multi-directional flooding output

Light Output

Twin heads deliver high quality, uniform illumination upto 4500 Lumens

Single button controlled multiple settings for optimized control over output and run-time

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
INTENSITY	25%	50%	75%	100%
LUMENS	750	1500	3000	4500
RUN TIME	12 hours	6 hours	3.5 hours	2 hours

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact-proof nylon body and handle with sturdy polycarbonate lens will stand-up-to tough jobsite conditions

Versatile Use

- Can be used as
1. Compact and portable, free standing floodlight bright enough to light up large areas
 2. On tripod stand to light overhead work and minimize shadows when directing the light downwards

Replaceable battery back gives infinite life to the worklight. Light has a working life upto 100,000 hours of use

Charging of Battery
100-240V—20V 1.1A charger (included)

Charge Your Phone
Rechargeable and removable battery pack doubles up as a power bank

POWER SOURCE



14.8V 5200 mAh



LED-680
Floodlight



0.7m - 1.7m
(27-1/2" - 67")

LED-680T
Floodlight
complete with
tripod

CE
RoHS
IP54
IK07

TURN, TWIST TO FOCUS AS REQUIRED



Duo Play

180° Horizontal

90° Vertical

SUPER HEAVY DUTY POWER TOOL BATTERY PACK



14.8V 5200mAh Li-ion Super Heavy Duty Power Tool Battery Pack



Battery Level Indicator via 5 LED's




In-Built Power Bank to charge mobile devices



ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/680	55089	Floodlight	11-3/16 x 7 x 5-1/8	288 x 176 x 131	1
LED/680T	55090	Floodlight complete with tripod	11-3/16 x (27-1/2 to 67) x 5-1/8	288 x (699 to 1702) x 131	1





Triple Head sitelamp for 360° multi-directional illumination

Easy set-up light, this is ideal for use in automotive repair work, roadside emergencies, construction sites, camping etc.

Adjustable 3 blades design for multi-directional light. Heads can be independently rotated to cast light in several directions simultaneously

Control panel to adjust intensity & switch between warm and cool light

	1ST PRESS	2ND PRESS	3RD PRESS	WHILE CHARGING
INTENSITY	LOW	MEDIUM	HIGH	MEDIUM
LUMEN	700	1200	2000	1200
RUN TIME	8.5 hours	3.5 hours	1.5 hours	-

Sturdy Construction

- IP 54 Rated**
Protected against dust and effects of water spray from any direction
- IK 07 Rated**
Impact proof & corrosion resistant aluminium body in premium powder coated finish. ABS edge guards make it resistant to shocks and vibration – common on any jobsite
- Nylon hook with 360° rotating action

Versatile Use

- Can be used as
- Compact and portable, free standing floodlight bright enough to light up large areas
 - Attached to any metallic surface using the magnetic base
 - On tripod stand to light overhead work and minimize shadows when directing the light downwards


Charging of Battery

Type-C fast charging protected by rubberized bezel. Charge indicated via 4 LED's, each showing 25% charge

POWER SOURCE





3.7V 4000 mAh



Cold/warm button

ON/OFF button & Intensity adjustment button

0.7m - 1.3m
(27-1/2" - 51")
LED-685T
Floodlight complete with tripod




Adjustable blade design
270° rotating light folds back into a compact sitelamp & 180° pivoting action to direct light in the desired direction



Nylon hook with 360° rotation



Hands-free operation
3 super strong magnet on base



NEW!

CE
RoHS
IP54
IK07

WARM LIGHT



4000K

COOL LIGHT



6500K

ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/685	55118	Sitelamp	25-63/64 × 2-31/32 × 3-3/16	660 × 75.5 × 81	1
LED/685T	55119	Sitelamp complete with tripod	28-17/64 × 6-27/64 × 19-9/16	718 × 1630 × 497	1



06 Sitelamp LED-660
360° Swivel



CE
RoHs
IP65

Multi-mode super bright 36W 72 SMD site lamp

Light Output

Single button controlled high quality output in multiple modes

INTENSITY	HIGH	MEDIUM	LOW
LUMEN	3000	1500	750
RUN TIME	1.5 hours	2.5 hours	5 hours

Sturdy Construction

- a. **IP65 Rated**
Protected against dust and effects of low pressure water jets from any direction
- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Impact proof ABS frame
- d. Tempered glass lens
- e. Steel handle with foam grip
- f. Sturdy steel stand for balanced positioning in the toughest of job site conditions

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt


Charging of Battery

Battery can be recharged using dual voltage (110V-240V) AC adaptor

Charge Your Phone

Rechargeable battery pack also doubles as a power bank

POWER SOURCE



7.4V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/660	55043	8.7 × 8.7 × 12.2	223 × 223 × 309	8




360°
Rotation




Tilt & swivel to 360°



3 LED battery level indicator



07 Worklight LED-800
Cable Reel



CE
RoHs
IP54
IK07

4000 lumens worklight with built-in cable reel

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact-proof aluminium die cast housing with polycarbonate lens will stand-up to tough jobsite conditions
- c. In-built handle for comfortable grip
- d. Complete with 5m (16ft) cable with a socket useful to connect multiple lights in series for higher illumination


Versatile Use

- a. Free standing worklight with adjustable swivel stand
- b. Attached to any metallic surface using 4 super strong magnets at the back of light



Swivel stand

POWER SOURCE



220V AC, 50Hz
110 V AC, 60Hz



90° rotating COB light to focus beam as needed



4 Super strong magnets on the back



3000W Socket on one end, to connect multiple lights in series or use the socket to connect to a power tool

ORDERING INFORMATION


CAT NR.	ORD NR.	PLUG TYPE	POWER SOURCE	BOX QTY.
LED/800/EU	55048	EU	220V AC, 50Hz	1
LED/800/US	55051	US	110V AC, 60Hz	1



08

Site Lamp
AC Powered

LED-602



CE
RoHs
IP65

Powerful 28 SMD portable light for use on construction sites, workshop etc.

Light Output

High quality output of 2100 lumen for maximum coverage of workspace

Cool Light

Finned design reduces heating up of light

Sturdy Construction


- a. **IP 65 Rated**
Protected against dust and effects of pressure jets from any direction
- b. Corrosion resistant aluminium die-cast housing in premium powder coated finish
- c. High impact polycarbonate lens to withstand harsh job site conditions
- d. Complete with 4m (13') long power cord

Portable


Free standing steel stand with cushion grip and adjustable bracket makes it convenient to move light as required in the workspace

Easy Set-up and instant illumination

POWER SOURCE



220V AC, 50Hz
110 V AC, 60Hz




ORDERING INFORMATION

CAT NR.	ORD NR.	PLUG TYPE	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/602/US	55075	US Pin	9-1/16 x 14-3/16 x 8	230 x 360 x 205	8
LED/602/EU	55069	EU Pin	9-1/16 x 14-3/16 x 8	230 x 360 x 205	8

09

Site Lamp with Tripod
AC Powered

LED-612



CE
RoHs
IP65

Powerful 2x30 SMD easy set up tower light for professional users on construction sites, workshops etc.

Light Output

High quality output of 4200 lumen for maximum coverage of workspace


Cool Light

Finned design reduces heating up of light


Sturdy Construction

- a. **IP 65 Rated**
Protected against dust and effects of pressure jets from any direction
- b. Corrosion resistant aluminium die-cast housing in premium powder coated finish
- c. Telescopic stand can be extended from 0.8m - 1.72m (31 - 67 inch) to light overhead work or minimise shadows when casting light downwards
- d. Complete with 4m (13') long power cord

POWER SOURCE




220V AC, 50Hz
110 V AC, 60Hz



Telescopic
0.8m - 1.72m
(31 - 67 inch)

ORDERING INFORMATION


CAT NR.	ORD NR.	PLUG TYPE	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/612/US	55076	US Pin	37 x 68-3/32 x 37	940 x 1730 x 940	2
LED/612/EU	55070	EU Pin	37 x 68-3/32 x 37	940 x 1730 x 940	2



10

Foldable Worklight
AC Powered

LED-616



Distinctive ergonomic design for illuminating the darkest of areas. Easy set-up for instant illumination

Light Output

INTENSITY BUTTON	1ST PRESS	2ND PRESS
INTENSITY	100%	50%
LUMEN	4000	2000

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 08 Rated**
Impact-proof aluminium body with polycarbonate lens will withstand tough jobsite conditions
- c. In-built handle for comfortable grip
- d. Complete with 4.5m (15') long power cord


Portable

Free standing steel stand and adjustable bracket makes it convenient to move light as required in the workspace



NEW!
CE
RoHS
IP54
IK08

POWER SOURCE



220V AC, 50Hz
110 V AC, 60Hz



Compact Design: Fully foldable light for easy storage



Turn the heads to focus light beam on the job



ORDERING INFORMATION

CAT NR.	PLUG TYPE	POWER SOURCE	SIZE (LxHxD) (OPEN)		SIZE (LxHxD) (CLOSE)		BOX QTY.
			(INCH)	(MM)	(INCH)	(MM)	
LED/616/US	US	110V AC, 60 Hz	15-3/4 x 10-3/4 x 7-1/2	400 x 274 x 190	9-1/6 x 8-13/16 x 7-1/2	231 x 224 x 190	2
LED/616/EU	EU	220V AC, 50 Hz	15-3/4 x 10-3/4 x 7-1/2	400 x 274 x 190	9-1/6 x 8-13/16 x 7-1/2	231 x 224 x 190	2

11

Worklight
270° Swivelling with Magnetic Base

LED-621



CREE
IP65

6 powerful LED's of 3W each

Multiple Working Modes

High intensity, low intensity & SOS flashing

	RUN TIME	LUMEN
HIGH INTENSITY	3 hours	1000
LOW INTENSITY	10.5 hours	300
SOS FLASHING		

Weather Proof Construction

- a. **IP 65 Rated**
Protected against dust and effects of low pressure water jets from any direction
- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Free standing heavy duty magnetic base
- d. Sturdy polycarbonate lens to withstand the toughest of job site conditions

Ideal For Portable Working

In maintenance, building, construction, mining jobs etc.



POWER SOURCE



3.7V 6600 mAh




Finned design offers excellent heat dissipation



270° Rotation

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/621	55044	5-1/16 x 9-19/32 x 4	129 x 244 x 100	12



12

Worklight
270° Swivelling

LED-650



IP65

Powerful worklight for temporary lighting in construction & maintenance jobs

Dual Colour Output

- White
- Amber

Sturdy Construction

- IP 65 Rated**
Protected against dust and effects of low pressure water jet from any direction
- Corrosion resistant aluminium die cast housing in premium powder coated finish
- 270° pivoting head directs the light beam to the required direction
- Free standing base with magnet attaches conveniently to any metallic surface

Charging of Battery

Battery can be recharged using USB cable provided with the light.



270°
Rotation


POWER SOURCE



3.7V 6600 mAh

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/650	55036	5-23/32 x 7-11/64 x 3-21/32	145 x 182 x 93	12



13

Worklight
DC Powered

LED-630



IP67


Powerful 15W light for use on off road vehicles, construction equipment, tractors, farm machinery etc.

5 powerful LED's of 3W each

Weather Proof Construction

- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- Corrosion resistant aluminium die cast housing in premium powder coated finish
- Sturdy polycarbonate lens to withstand the toughest of job site conditions
- Free standing base with magnet attaches conveniently to any metallic surface

POWER SOURCE



12V - 36V




Cigarette plug adaptor



To focus light beam as needed

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/630	55034	3-17/32 x 12-3/8 x 3-27/64	90 x 314 x 87	12



Twin-head light for endless applications; both indoors and outdoors

High Output

Twin-heads deliver high quality and uniform illumination

Heads can be used separately or both together for all-around illumination

Single push-button controlled output

Sturdy Construction

Impact-resistant nylon body with protective TPR corners

Nylon handle swivels full 360° for adjustment as needed

Handle also doubles up as a stand for convenient placement on a flat surface

Suitable for use in


Automotive, Industrial, Construction, Camping etc.

Available in two versions


- a. **LED/385**
Runs on 4 x AA drycell batteries (included)
- b. **LED385RM**
Runs on 3.7V 5000 mAh lithium polymer battery (included)



LED/385



POWER SOURCE



Multiple Working Modes


	1ST PRESS	2ND PRESS	3RD PRESS
	BOTH LIGHTS ON	LIGHT 1 ON	LIGHT 2 ON
LUMEN	1000	500	500
RUN TIME	3 hours	4 hours	4 hours

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/385	55086	10



LED/385RM



POWER SOURCE



3.7V 5000 mAh

Multiple Working Modes

	1ST PRESS	2ND PRESS	3RD PRESS
	BOTH LIGHTS ON	LIGHT 1 ON	LIGHT 2 ON
LUMEN	1000	500	500
RUN TIME	3 hours	6 hours	6 hours

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/385RM	55087	10



5V 1A USB output port to charge mobiles



Hands free magnet on swivel handle can also be used to affix light on any metal surface

Swivel Handle





Super slim worklight for tight, cluttered and difficult to reach workspaces

Integrated

- a. 6W COB Worklight
- b. 1W Top Torch

User controlled output

Adjust light intensity from 0-600 lumen by rotating knob

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof ABS body
 - a. Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - b. Nylon hook with ratcheting mechanism can be rotated full 360° for convenient placement of light as required

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt

Hands Free Operation

Three rubber covered magnets at the rear end to affix light on any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using standard USB cable provided with the light

POWER SOURCE



3.7V 2600 mAh



RUN TIME
1.5 hours
(at full intensity)
10 hours
(at lowest intensity)

	WORKLIGHT	TOP TORCH
INTENSITY	100%	
LUMEN	600	120
RUN TIME	1.5 hours	10 hours

SWIVEL & TILT DESIGN



Patented 360° Swivel & tilt design with stainless steel joint

Rotating Hook with ratcheting mechanism


ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/370	55042	15-11/32 x 1-37/64 x 1-3/8	390 x 40 x 35	15

CE
RoHS
IP54
IK07



**BRING
IN THE
LIGHT!**



16

Worklight
360° Rotating Hook

LED-390



CE
RoHs

Multi-function, powerful worklight & top torch

Light Output

High quality output of 160 lumen by main light & focused illumination of 60 lumen by top torch

1ST PRESS	TOP TORCH ON
2ND PRESS	WORKLIGHT ON
3RD PRESS	ALL LIGHTS OFF

Durable Construction

- Impact proof & water resistant ABS body with rubber coating
- 360° rotating hook to suspend light leaving both hands free
- Integrated pocket/belt clip to conveniently store and carry light wherever you go
- Swivelling magnetic stand swivels up to 180° to adjust to required angle

Hands Free Operation

- Swivelling stand with super strong magnets to position light on any metallic surface
- Magnet on clip can also be used to affix light on any metal surface

Charge Time

3 hours. Indicated via LED display

Charging of Battery

Battery can be recharged using a standard USB cable provided with the light


POWER SOURCE



3.7V 1200 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/390	55059	6-7/64 x 1-37/64 x 1-11/64	155 x 40 x 30	50



Swivelling Magnetic Stand



17

Worklight
360° Swivel

LED-360



CE
RoHs
IP54
IK07

Multi-function, powerful worklight & spotlight in one

Integrated

- 7 SMD Worklight
- 3W LED Top Torch

Light Output

	LUMEN	RUN TIME	LUMEN	RUN TIME
	HIGH		LOW	
WORKLIGHT	350	3 hours	200	7 hours
TOP TORCH	120 lumen with a run time of 8 hours			

Sturdy Construction

- IP 54 Rated**
Protected against dust and effects of water spray from any direction
- IK 07 Rated**
Impact proof ABS body
- Sturdy polycarbonate lens to withstand the toughest of job site conditions
- Nylon hooks with ratcheting mechanism can be rotated full 360° for convenient placement of light

Swivel & tilt design

- Patented 360° swivel & tilt mechanism. Ball joint mechanism allows
- Swivelling of light full 360°
 - Tilt

Hands Free Operation

Three magnets; two on the rear of the light & one on the end, can be attached to any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using standard USB cable provided with the light

POWER SOURCE




3.7V 2200 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/360	55037	10 x 2-9/32 x 1-57/64	254 x 58 x 48	12



Patented 360° swivel & tilt design with stainless steel ball joint



2 fold out 360° swivelling hooks for easy installation





Integrated
a. 10W COB worklight
b. 2W SMD top torch

Light Output
High quality light output in multiple modes

	LUMEN	RUN TIME	LUMEN	RUN TIME	LUMEN	RUN TIME
INTENSITY	HIGH		MEDIUM		LOW	
WORKLIGHT	1000	1.5 hours	500	2.5 hours	250	5 hours
TOP TORCH	120 lumen with a run time of 8 hours					

Sturdy Construction
a. **IP 65 Rated**
Protection against dust and effects of pressure jets from any direction
b. **IK 07 Rated**
Impact-proof with ABS body

Sturdy polycarbonate lens to withstand the toughest of jobs site conditions

Nylon hook with 360° rotating action for convenient placement of light

Swivelling Magnetic Base
The base can rotate upto 180° to adjust to the required angle

Strong magnet on the base makes it easy to mount onto any metallic surface for hands free use.

Dual Battery Charging Options
1. Wireless charging using induction charging technology
2. Can also be charged using micro USB cable provided with the light

POWER SOURCE



3.7V 3350 mAh

CE
RoHs
IP65
IK07



BATTERY CHARGING OPTIONS



Wireless (Induction) Charging
Can be mounted on metallic surfaces or hung on the wall using nails or hooks




With Micro USB Cable
USB charging port with LED charge indicators



Swivelling Magnetic Base
The base can rotate upto 180° to adjust to the required angle

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxWxD)		BOX QTY.
		(INCH)	(MM)	
LED/375	55085	9 x 2 x 1-5/8	230 x 59 x 41.5	12





Multi-function, powerful worklight & top torch

- Integrated**
- a. 5W COB Mainlight
 - b. 3W LED Top Torch

Light Output
User controlled output. Adjust light intensity of worklight and top torch by pressing on the + (increase) or - (decrease) buttons

Built-in memory function starts the light at the same intensity as when it was switched off

- Durable Construction**
- a. Impact proof & water resistant ABS body with rubber coating
 - b. 360° rotating hook to suspend light leaving both hands free
 - c. Integrated pocket/belt clip

- Hands Free Operation**
- a. Swivelling stand with super strong magnets to position light on any metallic surface
 - b. Magnet on clip can also be used to affix light on any metal surface

Charging of Battery
Battery can be recharged using standard USB cable provided with the light

Charge Your Mobile Device
USB output port for use as power bank



Multiple Mode Output

	1ST PRESS	2ND PRESS
	TOP TORCH	WORKLIGHT
LUMEN	180	350
RUN TIME	4 hours	3 hours



USB output port to charge mobile devices




POWER SOURCE



3.7V 2000 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE		BOX QTY.
		(INCH)	(MM)	
LED/395	55060	7-9/32 × 2-3/8 × 1-17/64	185 × 60 × 32	50





Multi-function, powerful worklight & top torch

- Integrated**
- 10W COB Worklight
 - 3W LED Top Torch

Light Output
User controlled output. Adjust light intensity of worklight and top torch by pressing ON/OFF buttons continuously

		LUMEN	RUN TIME
1ST PRESS	TOP TORCH	150	3-3.5 hours
2ND PRESS	WORKLIGHT	500	2-3 hours
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

- Durable Construction**
- Impact proof & water resistant ABS body with rubber coating
 - Integrated pocket/belt clip

- Hands Free Operation**
- Swivelling magnetic stand with magnet to position light on any metallic surface
 - Magnet on clip can also be used to affix light on any metal surface

Charging of Battery
Battery can be recharged using a standard USB cable provided with the light

Charge Your Mobile Device
USB output port for use as power bank

POWER SOURCE



3.7V 2000 mAh



3W LED top torch

10W COB main light



Aluminium fins keeps light cool

Power button

LCD display to show battery percentage



Swivelling Magnetic Stand: Swivel to adjust light to the required angle. Magnetic end to affix light on metallic surface for hands free use




USB output port to charge mobile devices

180° Swivelling Magnetic Stand

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE		BOX QTY.
		(INCH)	(MM)	
LED/396	55088	6-21/32 x 1-47/64 x 1-11/32	169x44x34	20





Multifunction, powerful worklight & UV spotlight in one.

Integrated

- a. 10W COB Worklight
- b. 3W UV light

Light Output

User controlled output: Adjust intensity of both worklight & spotlight by pressing on the increase (+) or decrease (-) button

Built-in memory function starts the light at the same intensity as when it was switched off

		LUMEN	RUN TIME
1ST PRESS	UV SPOT LIGHT	-	4-5 hours
2ND PRESS	WORKLIGHT	550	3-15 hours
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

Sturdy Construction

- a. Impact proof ABS body with rubber coating
- b. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- c. Nylon hook with 360° rotating action

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt

Hands Free Operation

Strong magnet on the base to mount light onto any metallic surface for hands free use

Type C fast charging

Wireless charging via

- a. Direct charging of light
- b. Docking station

Charge Your Phone

Rechargeable and removable battery pack also doubles up as a power bank



UV light for detecting engine oil leakage, gas leakage, crack in welding jobs in industrial, automotive, HVAC applications



Fully flexible 360° swivel & tilt design with unique ball joint



Charge Your Mobile Device
USB output port for use as power bank


POWER SOURCE



3.7V 2000 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/376U	55105	7-13/16 x 2-1/2 x 1-1/8	198 x 63 x 29	10



SCAN TO WATCH



Multi-function, powerful worklight & top torch with a powerful speaker

Integrated

- a. 10W COB Worklight
- b. 3W LED Top Torch

Light Output

User controlled output by pressing the increase (+) or decrease (-) buttons

		LUMEN	RUN TIME
1ST PRESS	TOP TORCH	200	3 hours
2ND PRESS	WORKLIGHT	500	2.5 hours
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

Powerful Bluetooth Speaker

Superior sound quality bluetooth speaker range upto 10 meter (32') for endless music at work

Press and hold the ON button for switching on the Bluetooth connect to "BT500" from your phone

Durable Construction

Impact proof & water resistant ABS body with rubber coating

Hands Free Operation

180° Swivelling stand with super strong magnets to position light on any metallic surface

Charging of Battery

Type C fast charging with real time display of battery


Charge Your Mobile Device

USB output port for use as power bank


POWER SOURCE



3.7V 2400 mAh





Swivelling Magnetic Stand: Base can swivel upto 180° to adjust to the required angle. Magnetic end helps affix the light for hands free use



To activate Bluetooth, press and hold the ON button for switching on the Bluetooth mode and connect to "BT500" from your phone



USB output port to charge mobile devices



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/397	55092	6-9/64 × 2-23/32 × 1-7/32	156×69×31	10



3 in 1 worklight with foldable design for difficult to reach & narrow workspaces

- Integrated**
- 4W COB Worklight
 - 2W SMD Spotlight
 - 0.5W SMD Top Torch with Magnetic pick-up

COB Worklight
Smart design ensures user controlled output. Adjust light intensity of worklight and spot light by pressing and holding the power button

Magnetic Top torch doubles as a pick-up tool to reach out into narrow holes & crevices

- Sturdy Construction**
- Aluminium body with ABS coating making it robust and impact proof
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions

- c. Compact Folding Design**
Fold into a pocket-sized light

Hands Free Operation
Super strong magnet on base help affix the light on any metallic surface leaving both hands free

Unique Clamping Base
Unique spring loaded clamping base to mount on any work surface for hands free usage

Charging of Battery
Type-C fast charging protected by rubberized bezel. Comes complete with USB cable. Charge indicated via 4 LED's, each showing 25% charge

POWER SOURCE



3.7V 2600 mAh


ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/185	55099	1-13/16 x 6-1/4 x 1-7/32	46 x 158 x 31	12



Multiple Mode Output


	MODE 1			MODE 2
	1ST PRESS	2ND PRESS	3RD PRESS	DOUBLE PRESS
LUMEN	400	-	50	150
RUN TIME	3-10 hours	20 hours	40 hours	10 hours



Unique spring loaded clamping base to mount on any work surface



Magnetic Top torch doubles as a pick-up tool



24

Inspection Light
Flexible

LED-186



Integrated

Dual head worklight 5W COB on each side use both together or separately as needed

User controlled output

Adjust light intensity from 50-500 lumens (on each light) by rotating knob

	1ST PRESS	2ND PRESS	3RD PRESS
	FRONT WORKLIGHT	BACK WORKLIGHT	BOTH LIGHTS
LUMEN	500	500	1000
RUN TIME	2-16 hours	2-16 hours	1-8 hours

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof ABS body
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Nylon hook with ratcheting mechanism can be rotated full 360° for convenient placement of light as required
- e. Built-in magnet on top of the light to pickup small metallic parts

Direct light as needed

Heavy-duty flexible neck can be rotated & bent 360° horizontally & vertically

Hands Free Operation

Strong magnet on base for direct attachment on any metallic surface

Charging of Battery

- Type C fast charging protected by rubberized bezel.
- Charge indicated by 3 LED's, each showing 33% of battery



CE
RoHs
IP54
IK07

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/186	55114	16-21/32 × 2-37/64 × 1-3/4	423 × 65.5 × 44.5	10

POWER SOURCE



3.7V 2600 mAh



25

Inspection Lamp
Unbreakable

LED-345



Light Output

Single button controlled variable output

INTENSITY	HIGH	MEDIUM	LOW
LUMEN	650	400	200
RUN TIME	4 hours	6 hours	11 hours

In-built overcharge/discharge control with automatic cut-off enhances battery life & performance

Construction

- Lightweight yet rugged aluminium tubing with TPR grip makes it impact resistant
- 2 ratcheting hooks with 360° swivel movement

Hands free usage

Removable clamp with magnetic end to attach light to any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using standard USB cable provided with the light

Charging level indicators clearly marked

- a. **GREEN:** Full Charge
- b. **RED:** Charging in process

POWER SOURCE




3.7V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/345	55040	18 × 3-3/16 × 2-49/64	458 × 81 × 70	10



CE



26

Worklight Jump Starter

LED-346



CE
RoHs
IK07

A must have for every car owner!

Light Output

Powerful multiple output with bright and balanced illumination.

	1ST PRESS	2ND PRESS	3RD PRESS
	UV MODE	LOW INTENSITY	HIGH INTENSITY
LUMEN	-	350	700
RUN TIME	13.5 hrs	8 hrs	4 hrs

Integrated with

- 7W COB Work light
- 1W UV Light (395 nm)

UV light popularly used to detect engine oil leakage, cracks, AC gas leakage etc.

Robust Construction

- IK07 Rated**
Robust ABS body makes the light usable even in rugged condition
- Smart Clamp with alligator cables provided with each light comes with overcharge, over current, short circuit, reverse polarity, over temperature and spark free protection
- Strong magnetic base with hook at top and bottom for ease of use

2 USB output ports can be used to charge 2 devices simultaneously.

Type C fast charging protected by rubberized bezel



1W UV Top Torch




180° Swivelling Base



Magnet on base with hang hook



SCAN TO WATCH



Can jump start vehicles upto 15 times on a full charge
Jump starts cars upto 3L Gasoline & 2L Diesel engines

POWER SOURCE



11.1V 2600 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/346	55112	13-5/64 x 2-11/64 x 2-3/32	332 x 55 x 53	20

27

Underhood Light Magnetic Ends

LED-355



CE
RoHs
IK07

Slim & compact 10W COB underhood light, shines brighter & lasts longer

Light Output

Single button, user controlled light output

	1ST PRESS	2ND PRESS
	HIGH	LOW
LUMEN	1000	400
RUN TIME	2 hrs	5 hrs



Sturdy Construction

- IK07 Rated**
Impact resistant ABS body built to withstand the toughest environments
- 360° swivelling hooks resist wear and provide a scratch-proof grip
- Sturdy polycarbonate lens withstands tough jobsite conditions
- Light can be rotated easily to direct beam on the job, as required

Hands Free Operation


Strong magnets on both ends for easy attachment on any metallic surface leaving both hands free.

Charging of Battery

- Type-C fast charging protected by rubberized bezel.
- Charge indicated via 4 LED's, each showing 25% charge



Hands free: Strong magnets on both ends attach onto metallic surfaces leaving both hands free



Type C Charging Port

360° Swivelling Hooks

POWER SOURCE



7.4V 2600 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/355	55113	19-11/16 x 1-31/32 x 1-39/64	500 x 50 x 41	10





Super bright under-hood light for powerful illumination of the entire engine bay. Shines brighter, grips stronger & outlasts most other lights!

15W COB Under-hood Light
3 powerful COB lamps of 5W each

Light Output
Single button, user controlled light output

INTENSITY	HIGH	MEDIUM	LOW
NR. OF LAMPS USED	3	2	1
LUMEN	1000	700	350
RUN TIME	3 hours	5 hours	7 hours

Sturdy Construction

- Aluminium extruded body with ABS coating
- Soft padded aluminium hooks resist wear and provide scratch proof grip. Large gripping surface provides larger contact for better positioning when mounting the light under-hood, undercarriage or elsewhere
- 3 light bulbs with sturdy polycarbonate lens to withstand the toughest of job site conditions
- Fully adjustable bulbs can be rotated 40° to provide optimum light angle to the job

Expandable Length

1.2m -1.76m (47"-69")
This covers wide cars & trucks, making it a perfect choice for mechanics working in automotive shops or fleet maintenance

Charging of Battery

Battery can be recharged using in-built USB charging port


Complete with 5' long cable for uninterrupted charging even when light is in use & AC power adaptor



USB charging port with LED charge indicators



Light bulbs pivot independently to direct light as needed



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/351	55084	47 x 3 x 2-3/8	1210 x 75 x 60	1



POWER SOURCE



3.7V 5200 mAh



29

Flashlight
Slim Pocket Size

LED-140



CE
RoHS

Handy pocket flashlight

Durable Construction


- a. Impact proof & water resistant ABS body in matte black finish
- b. Integrated pocket clip

Hands Free Operation

Magnet on clip can also be used to affix light on any metal surface



POWER SOURCE



HANDS FREE USE




Can be hooked onto a pocket or belt for easy mobility & hands free use



Magnetic clip to attach light to any metallic surface for hands free usage

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/140	55039	4-11/32 x 1-3/16 x 23/32	110 x 55 x 21	24




FLASHLIGHTS

30

Flashlight
Rechargeable

LED-150



Featuring COB technology, the flashlight delivers high output with uniform and even illumination

Durable Construction

- a. Impact proof and water resistant ABS body with rubber coating
- b. 360° rotating hook to position light in any direction
- c. Integrated pocket/belt clip to conveniently store and carry the light
- d. Swivelling magnetic stand with strong magnet to position at any angle on a metallic surface

Charge your Mobile Devices

Output port for use as power bank

Charging of Battery

Battery can be recharged using a standard USB cable provided with the light

POWER SOURCE



3.7V 1800 mAh



Power Bank
5V 1 Amp USB output port for use as power bank

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/150	55049	2-3/8 x 1-3/8 x 4-27/32	60 x 35 x 123	20



CE
RoHs



31

Flashlight
High Power

LED-190



Pocket sized, rechargeable high quality flashlight for the professional user

Multiple mode output

PRESS 1	Switch ON
PRESS 2	Press & hold to increase intensity from 50-500 lumens

Built-in memory function

Starts light at the same intensity as when it was switched off

Robust Construction

- a. Corrosion resistant aluminium alloy construction
- b. Pocket clip for convenient and safe portability
- c. Integrated hook for hanging light


Hands Free Use

Magnetic base makes it easy to mount light on any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using a standard USB cable provided with the light

POWER SOURCE



3.7V 1800 mAh

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/190	55081	4-3/16 x 1-25/32 x 1-15/32	106 x 48 x 36.5	48

CE
RoHs



Pocket clip with integrated hook

USB charging port



32 Penlight

LED-335



CE
RoHs

Super bright, dual function portable worklight & top torch

- Integrated**
- a. 3W COB Worklight
 - b. 1W LED Top Torch

Light Output
High quality output in different modes

	MAIN LIGHT		TOP TORCH	
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	180	3 hours	65	2 hours

- Light Weight & Durable Construction**
- a. Impact proof & water resistant ABS body with rubber coating
 - b. Integrated Pocket Clip

Hands Free Use
Magnet on clip can be used to affix light on any metal surface

POWER SOURCE




3.7V 800 mAh



85° Adjustable Pocket Clip with magnet to hook onto any magnetic surface

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/335	55057	7-9/32 x 1-25/64 x 13/16	185 x 35 x 20	50



33 Penlight High Power

LED-336



CE
RoHs
IK07

Super bright, dual function portable Worklight & Top Torch

Light Output

	1ST PRESS		2ND PRESS	
	TOP TORCH		WORKLIGHT	
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	180	6 hours	300	2 hours

Light can be adjusted from 30-300 lumens. Press & hold the power button to adjust intensity. SOS Flashing indicates maximum intensity

- Light weight & durable construction**
- a. **IK07 Rated**
Aluminium body with ABS Coating
 - b. Sturdy polycarbonate lens withstands the toughest of job site conditions
 - c. Integrated pocket clip: Can be hooked onto a pocket /belt for easy mobility & hands free operation.
 - d. Magnet on base can be used to affix light on any metallic surface

Built-in memory function:
Starts light at the same intensity as when it was switched off

Charging of Battery
Battery can be recharged using a standard USB cable provided with the light

POWER SOURCE





3.7V 650 mAh




USB Charging

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/336	55094	29/32 x 6-49/64 x 45/64	23 x 172 x 18	36





Slim pen light designed for the professional user

Light Output

Multiple modes with just the press of a button

Robust Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. Robust aluminium body with military grade anodised coating for enhanced durability
- c. Non-slip knurled grip
- d. Integrated pocket clip for easy and safe portability

Unique L-Head Design

Head can be turned 90° giving the user freedom to direct light beam as required

Hands Free Operation

Super strong magnet at the rear end can be affixed onto any metallic surface leaving both hands free

Available in two versions

- a. **LED-160**
Runs on 2 x AAA drycell batteries
- b. **LED-165R**
Runs on rechargeable lithium-ion battery
Type C fast recharge



LED-160

150 LUMEN
8 HRS at lowest intensity
50M / 164'

POWER SOURCE

2 x AAA
(not included)

Multiple Mode Output

	1ST PRESS	2ND PRESS	3RD PRESS & HOLD	4TH PRESS
	HIGH INTENSITY	LOW INTENSITY	QUICK FLASHING	SOS FLASHING
LUMEN	150	60	○○○○○○○○	
RUN TIME	2.5 hours	8 hours	○○○○○○○○	

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/160	55073	6 x 19/32 x 45/64	152 x 15 x 17.5	36

NEW!

LED-165R

250 LUMEN
3.5 HRS at lowest intensity
3 HRS
63M / 206'

POWER SOURCE

Li-Ion
3.7V 600 mAh (Included)



Multiple Mode Output

	1ST PRESS	2ND PRESS	3RD PRESS & HOLD	4TH PRESS
	HIGH INTENSITY	LOW INTENSITY	QUICK FLASHING	SOS FLASHING
LUMEN	250	90	○○○○○○○○	
RUN TIME	1.5 hours	3.5 hours	○○○○○○○○	

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/165R	55120	6 x 19/32 x 45/64	152 x 15 x 17.5	36

CE
RoHS
IP54
IK07





Heavy duty multi-mode flashlight, laser light & UV pointer all in one

Light Output
Multiple mode output with just the press of a button

Robust Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK07 Rated**
Robust aluminium body with military grade anodised coating for enhanced durability
- c. Non-slip knurled grip
- d. Integrated pocket clip for easy and safe portability

Unique L-Head Design

Head can be turned 90° giving the user freedom to direct light beam as required


Hands Free Operation

Super strong magnet at the rear end can be affixed onto any metallic surface leaving both hands free


Available in two versions

- a. **LED-170**
Runs on 3 x AAA drycell batteries
- b. **LED-170R**
Runs on rechargeable 3.7V 2600mAh lithium-ion battery
Type C fast recharge

LED-170



POWER SOURCE



(not included)

Multiple Mode Output


	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	5TH PRESS	6TH PRESS
	LOW INTENSITY	MEDIUM INTENSITY	HIGH INTENSITY	LASER LIGHT	LASER LIGHT & HIGH INTENSITY	UV LIGHT 395nm
LUMEN	30	100	400	-	400	-
RUN TIME	20 hours	7 hours	3 hours	-	3 hours	-

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY
		(INCH)	(MM)	
LED/170	55074	5-7/8 x 1-29/64 x 1-11/64	149 x 37 x 30	36



LED-170R



POWER SOURCE



3.6V 2600 mAh

Multiple Mode Output

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	5TH PRESS	6TH PRESS
	HIGH INTENSITY	MEDIUM INTENSITY	LOW INTENSITY	UV LIGHT 395nm	LASER LIGHT	LASER LIGHT & HIGH INTENSITY
LUMEN	1000	500	200	-	-	1000
RUN TIME	2 hours	2.5 hours	12 hours	-	-	2 hours

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY
		(INCH)	(MM)	
LED/170R	55080	5-7/8 x 1-29/64 x 1-11/64	149 x 37 x 30	36



Multiple mode output with just the press of a button

CE
RoHS
IP54
IK07



36

Pen Light
UV and Laser

LED-175



CE
RoHS

Power Packed Pen Light

Integrated

- a. 5W COB mainlight
- b. 3W LED spotlight
- c. UV light (365nm)
- d. Laser Pointer

Light Output

User controlled output. Adjust light intensity of spotlight, mainlight & UV light by pressing & holding power button. Double press the laser ON/OFF button to activate the laser beam

	1ST PRESS	2ND PRESS	3RD PRESS	4TH DOUBLE PRESS
	SPOTLIGHT	MAINLIGHT	UV LIGHT	LASER LIGHT
LUMEN	140	450	-	-
RUN TIME	3 hours	2.5 hours		

Durable Construction

- a. Aluminum body with military grade anodised coating for enhanced durability.
- b. Integrated Pocket Clip djustable 120° for directing light in desired direction.
- c. Magnet on clip can be used to affix light on any metallic surface

Built-in memory function

Starts light at the same intensity as when it was switched off

Charging of Battery

Battery can be recharged using a standard Type C cable provided with the light

POWER SOURCE



Li-Ion

3.7V 800 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/175	55103	6-1/2 × 29/32 × 29/32	165 × 23 × 23	20



UV light for crack detection in industrial, automotive, HVAC applications & inspection purposes



Can be attached onto any metallic surface leaving both hands free



SCAN TO WATCH



37

Spotlight
Waterproof

LED-402



CREE
CE
RoHS
IP67

7W LED handheld spotlight & worklight

7W CREE® LED, Xm-L2

Light Output

High quality, super-bright, focussed, user controlled multiple mode output

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD
TYPE	HIGH INTENSITY	LOW INTENSITY	SOS FLASHING	RED FLASHING
LUMEN	700	350		
RUN TIME	2 hours	4.5 hours		

a. IP 67 Rated

Protected against dust & effects of water immersion upto 1 metre

b. Designed to float

- c. Shock proof & lightweight ABS body, rubber head & ergonomic TPR grip
- d. Shock-proof polycarbonate lens
- e. Waterproof trigger to control light modes
- f. Integrated fold out stand converts hand-held spot light into a worklight
- g. Lanyard with SOS whistle

Charging of Battery

Dual charging via

- a. AC supply
Charge Time: 4-5 hours
- b. Cigarette Charger
Charge Time: 3-4 hours

POWER SOURCE



Li-Ion

3.7V 2200 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/402	55083	100



Floats in water



Integrated fold out stand converts hand held spotlight into a worklight



SCAN TO WATCH



Dual Purpose Light

High quality 0.5W flashlight with magnetic telescopic pick up

Light Output

Focussed light beam of 30 lumen helps reach out in dark areas

Robust Construction

- Durable aluminium body
- Flexible telescopic design to reach out into narrow holes & crevices
- Magnet at the front end to pick up small metallic parts
- Adjustable focus to direct light beam as per need
- Integrated pocket clip

Hands Free Use

Magnet at the rear end of light can be affixed onto any metallic surface leaving both hands free

Available in two versions


- LED-131**
Runs on 4 x 1.5LR44 drycell batteries (included)
- LED-132R**
Runs on 3.7V 450 mAh rechargeable lithium-ion battery



LED-131



LED-132



3.7V 450 mAh



USB Charging: Simply connect the light to wall charger, laptop etc. for convenient charging

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/131	55053	100
LED/132R	55079	100



39

Rechargeable Headlamp 5W LED

LED-245



NEW! CE
RoHs
IP54
IK07

High quality aluminium alloy head lamp with excellent water resistance

Innovative Design

Light can be separated from head band & used as a flashlight

Light Output

Powerful multiple output with bright and balanced illumination

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	5TH PRESS
	LOW INTENSITY	MEDIUM INTENSITY	HIGH INTENSITY	QUICK FLASHING	SOS FLASHING
LUMEN	20	150	500	-	
RUN TIME	18 hours	5 hours	2 hours	-	-



Robust Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. Robust aluminum alloy body with anodized coating. Non-slip knurled grip. Integrated pocket clip for easy and safe portability
- c. Black woven high quality, anti-skid head band with soft built-in protection to avoid imprint on forehead


Unique L-Head Design

Head can be turned 90° giving the user freedom to direct light beam as required

Hands Free Operation

Super strong magnet at the rear end of the light latches onto any metallic surface, leaving both hands free

DUAL POWER SOURCE



Detachable Design
Simply pull out the light from the head band, to use as a flashlight



Li-ion Battery with in-built micro USB port

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/245	55109	36

HEADLAMPS

40

Headlamp

Rechargeable With Hand Sensor

LED-220



CE
RoHS

Powerful 3W COB head lamp

User controlled multiple modes

	NORMAL MODE			SENSOR MODE
	1ST PRESS	2ND PRESS	3RD PRESS	PRESS & HOLD
	High Intensity	Low Intensity	Quick Flashing	High Intensity
LUMEN	150	35	150	
RUN TIME	4 hours	12 hours	4 hours	



Innovative & Unique Design

- a. Detachable Design: Light can be separated from head band and used as a worklight
- b. In-built sensor function with hands free ON/OFF. Wave to activate/deactivate light


Ergonomic Construction

- a. Impact proof ABS
- b. Black woven head band with built-in protection pad
- c. Light attached to head band with a strong & powerful magnet
- d. Light can be easily rotated to focus at required angle

Charging of Battery

Battery can be recharged using a standard USB cable provided with the light


POWER SOURCE



3.7V 2200 mAh



Detachable Design
The light is attached to the head band with the help of a magnet



Rotate light to focus at required angle



SCAN TO WATCH

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/220	55052	24

41

Headlamp

Dual Mode & Hand Sensor

LED-225



CE
RoHS

Integrated

- 3W COB Floodlight
- 4W LED Spotlight

User controlled multiple mode

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
	LED SPOTLIGHT		COB FLOODLIGHT	LED+COB COMBINATION
	HIGH INTENSITY	LOW INTENSITY	HIGH INTENSITY	HIGH INTENSITY
LUMEN	400	120	200	500
RUN TIME	2 hours	10 hours	4 hours	1.2 hours



3W COB Floodlight
4W LED Spotlight
Hands Free Sensor: Activate in all modes

Innovative & Unique Design

- Detachable Design: Light can be separated from head band and used as a Worklight
- Smart design ensures user controlled output. Adjust light intensity in all modes by simple press and hold of the power button

Sturdy Construction

- a. Impact proof ABS
- b. Black woven head band with built-in protection pad
- c. Light attached to head band with a strong & powerful magnet


Dual Power Source

Never run out of power - Use with the inbuilt rechargeable battery or insert dry cell batteries to keep the light on.

Charging of Battery

Charge light directly or just the lithium power batteries separately

POWER SOURCE




3.7V 1000 mAh (Included) 3 x AAA (Not included)

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/225	55101	25



Detachable Design
The light is attached to the head band with the help of a magnet



Rotate light to focus as required




SCAN TO WATCH

42

Headlamp
Dual Mode

LED-230



Dual output headlamp with spot light & floodlight in one

Ideal for professional use

Integrated

- 3W COB circumference floodlight
- 1 LED focussed central light


Light Output

Outstandingly bright COB light for highly bright & uniform output


	1ST PRESS	2ND PRESS	3RD PRESS
	LED Light	COB Light	Quick Flashing
LUMEN	70	160	
RUN TIME	9 hours	3 hours	

Sturdy Construction

- Adjustable head band with built-in protection pad to avoid imprint of forehead
- Impact proof ABS
- Light adjustable up to 45° to direct light beam as per need



POWER SOURCE



3 * AAA

(Included)

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/230	55055	40

43

Headlamp
Strip Light With Hand Sensor

LED-250



Up your visibility game!

Engineered for versatility, this multi-mode headlamp lights up all directions over long distances

Integrated:

- 5W COB wide angle Floodlight
- 3W LED Spotlight

Light Output

Front COB LED panel for ultra-view flood beam giving 230° coverage and side spotlight for lighting up distances upto 45m/150'.

Single button controlled output in multiple modes

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	PRESS & HOLD
	COB LIGHT		SPOTLIGHT		
	HIGH INTENSITY COB	LOW INTENSITY COB	HIGH INTENSITY LED	LOW INTENSITY LED	QUICK FLASHING
LUMEN	350	150	150	60	-
RUN TIME	2.5 hours	5 hours	4 hours	7 hours	1.5 hours

Sensor Function

In-built sensor function for hands free ON/OFF of light. Wave to activate/deactivate light. Sensor can be activated in all modes

Durable Construction

Impact resistant construction: withstands falls upto 2m (6.5'). Highly Durable and stretchable headband.

Charging of battery

Type-C fast charging, protected by a rubber bezel.

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/250	55110	40

POWER SOURCE



3.7V 1200 mAh




Hands Free Sensor: Wave to activate/deactivate light



44

Floodlight 12W

LED-505



CREE
CE
RoHS
IP67

12W LED Floodlight

4 Powerful LED's of 3W each

Light Output

High quality output of 840 lumen with a spread of 60° over a distance up to 60 meter

Weather Proof Construction

- IP67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- Corrosion resistant aluminium die cast construction in premium powder coated finish
- Sturdy polycarbonate lens to withstand the toughest of job site conditions
- Corrosion resistant stainless steel bracket


Complete with 8" (200 mm) DC power cord

Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.




POWER SOURCE



10V - 30V


ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/505	55064	3-5/32 x 3 x 3-7/32	80 x 75 x 82	20



FLOODLIGHTS

45 Floodlight 15W **LED-501**
LED-502



CE
RoHs
IP67

15W LED Floodlight
5 powerful LED's of 3W each

Light Output
High quality output of 900 lumen with a powerful flood spread of 60° over a distance up to 10 meter

- Weather Proof Construction**
- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
 - Corrosion resistant aluminium
 - die-cast construction in premium powder coated finish
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - Corrosion resistant stainless steel bracket


Complete with 20" (500mm) DC power cord

Available as a single piece or set of two

Ideal for Outdoor Use
Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE




10V - 30V




ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/501	55016	Single Piece	3-11/32 x 3-11/32 x 1-3/8	85 x 85 x 35	27
LED/502	55026	Set of Two	3-11/32 x 3-11/32 x 1-3/8	85 x 85 x 35	13



46 Floodlight 15W Compact **LED-501S**



CE
RoHs
IP67

15W LED Floodlight
5 powerful LED's of 3W each


Light Output
High quality output of 1050 lumen with a powerful flood spread

- Weather Proof Construction**
- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
 - Corrosion resistant aluminium die-cast construction in premium powder coated finish
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - Corrosion resistant stainless steel bracket

Ideal for Outdoor Use
Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.




POWER SOURCE



10V - 30V

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/501S	55111	2-29/32 x 2-29/32 x 1-3/8	74 x 74 x 35	27




47

Floodlight
15W Supercool

LED-520

IP67



15W LED Floodlight
5 powerful LED's of 3W each

Light Output
Super cool light offers high quality output of 1050 lumen with a powerful flood spread of 60° over a distance up to 10 meter


Weather Proof Construction

- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket


Complete with 20" (500mm) DC power cord

Ideal for Outdoor Use


Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE



12V - 60V



ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/520	55027	4 × 4-13/16 × 1-7/8	101 × 122 × 48	12

48

Floodlight
18W Supercool

LED-530

CREE
IP67



The most versatile floodlight for any application

18W LED Floodlight
6 powerful LED's of 3W each

Light Output
Super cool light offers high quality output of 1200 lumen with a powerful flood spread of 60° over a distance up to 10 meter

Weather Proof Construction

- a. **IP67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket


Complete with 20" (500mm) DC power cord

Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.




POWER SOURCE



12V - 60V



Directs light beam to required direction




ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/530	55028	4-9/32 × 5 × 1-21/32	109 × 127 × 42	12

49

Floodlight
27W

LED-512



CREE
CE
RoHS
IP67

High output, super bright illumination over long distances

27W LED Floodlight
9 powerful LED's of 3W each

Light Output
High quality output of 1890 lumen with a powerful flood spread of 60° over a distance up to 80 meter

Weather Proof Construction

- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die- cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 18" (450mm) DC power cord

Ideal for Outdoor Use


Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE



9V - 32V




ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/512	55061	4-1/4 x 4-1/4 x 2-27/32	108 x 108 x 72	20

50

Floodlight
30W

LED-545



CREE
CE
RoHS
IP67

High output super bright floodlight for 'On-the-Go' use

30W LED Floodlight
6 powerful LED's of 5W each

Light Output
High quality output of 2250 lumen with a powerful flood spread of 60° over a distance up to 60 meter

Weather Proof Construction

- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die- cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 8" (200mm) DC power cord

Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE



9V - 32V




ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/545	55065	6 x 2-1/16 x 2-9/32	150 x 52.5 x 56	20

51

Floodlight
45W

LED-541



CE
RoHs
IP67

High output super bright floodlight for long distance visibility

45W LED Floodlight
15 powerful LED's of 3W each

Light Output
High quality output of 3150 lumen with a powerful flood spread of 60° over a distance up to 80 meter


- Weather Proof Construction**
- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
 - Corrosion resistant aluminium die-cast construction in premium powder coated finish
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - Corrosion resistant stainless steel bracket

Complete with 18" (450mm) DC power cord


Ideal for Outdoor Use
Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE



9V - 32V




ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/541	55063	6-7/32 x 3-23/32 x 3	158 x 95 x 75	12

52

Floodlight
48W

LED-515



CE
RoHs
IP67

Brightest floodlight on site

48W LED Floodlight
16 powerful LED's of 3W each

Light Output
High quality output of 3360 lumen with a powerful flood spread up to 60° wide and over a distance up to 80 meter


- Weather Proof Construction**
- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
 - Corrosion resistant aluminium die-cast construction in premium powder coated finish
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - Corrosion resistant stainless steel bracket

Complete with 18" (450mm) DC power cord


Ideal for Outdoor Use
Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



POWER SOURCE



9V - 32V



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/515	55062	4-1/4 x 5-13/32 x 2-27/32	108 x 138 x 72	20


53

Light Bar
36W

LED-701



SCAN TO WATCH



36W LED Light Bar
12 powerful LED's of 3W each

Light Output
High quality output of 2520 lumen


Combination Beam
Floodlight & spotlight in one; powerful flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright

- Weather Proof Construction**
- IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
 - Corrosion resistant aluminium extruded housing in premium powder coated finish
 - Sturdy polycarbonate lens to withstand the toughest of job site conditions

Complete with 20" (500mm) DC power cord

Ideal for Outdoor Use
Use on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc

POWER SOURCE



10V - 30V

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/701	55066	8 x 4-17/32 x 3-11/32	204 x 115 x 85	12



CE
RoHS
IP67




COMBINATION BEAM



- FLOODLIGHT
- SPOTLIGHT

	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
	60°	30°	60°
	100M (328')	200M (656')	100M (328')



SCAN TO WATCH

LIGHT BARS

54

Light Bar
72W

LED-711



CREE
CE
RoHs
IP67

72W LED Light Bar
24 powerful LED's of 3W each

Light Output
High quality output of 5040 lumen

Combination Beam
Floodlight & spotlight in one; powerful flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright

Weather Proof Construction

- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium extruded housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions

Complete with 20" (500mm) DC power cord

Ideal for Outdoor Use

Use in mining applications, on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc.

POWER SOURCE




10V - 30V

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/711	55067	14 x 4-17/32 x 3-11/32	357 x 115 x 85	12



COMBINATION BEAM



	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
	60°	30°	60°
	100 (328')	200 (656')	100 (328')



55

Light Bar
120W

LED-721



CREE
CE
RoHs
IP67

120W LED Floodlight
40 powerful LED's of 3W each

Light Output
High quality output of 8400 lumen

Combination Beam
Floodlight & spotlight in one; powerful flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright

Weather Proof Construction


- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium extruded housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions

Complete with 20" (500mm) DC power cord

Ideal for Outdoor Use

Use in mining applications, on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc.

POWER SOURCE




10V - 30V

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/721	55068	22-1/8 x 4-17/32 x 3-11/32	562 x 115 x 85	6



COMBINATION BEAM



	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
	60°	30°	60°
	100 (328')	200 (656')	100 (328')



	TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
WORKLIGHTS								
LED-695	 10W COB	IP54	1000	Rechargeable Li-ion	7.4V 2000 mAh	Micro USB	10	4
LED-550	 10W COB	IP54	1000	Rechargeable Li-ion	3.7V 4400 mAh	Micro USB	6	5
LED-560	 20W COB	IP54	2000	Rechargeable Li-ion	7.4V 4400 mAh	Micro USB	6	5
LED-670	 30W COB	IP54	2800	Rechargeable Li-ion / AC Powered	7.4V 4400 mAh	⊗	4	3
LED-670T	 30W COB	IP54	2800	Rechargeable Li-ion / AC Powered	7.4V 4400 mAh	⊗	4	3
LED-680	 60W SMD	IP54	4500	Rechargeable Li-ion	14.8V 5200 mAh	⊗	12	4.5
LED-680T	 60W SMD	IP54	4500	Rechargeable Li-ion	14.8V 5200 mAh	⊗	12	4.5
LED-685	 20W SMD	IP54	2000	Rechargeable Li-ion	3.7V 4000 mAh	Type-C	8.5	5
LED-685T	 20W SMD	IP54	2000	Rechargeable Li-ion	3.7V 4000 mAh	Type-C	8.5	5
LED-660	 36W SMD	IP65	3000	Rechargeable Li-ion	7.4V 4400 mAh	⊗	5	4.5

	TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
LED-800	 40W COB	IP54	4000	AC Powered	-	⊗	-	-
LED-602	 28W SMD	IP65	2100	AC Powered	-	⊗	-	-
LED-612	 60W SMD	IP65	4200	AC Powered	-	⊗	-	-
LED-616	 45W SMD	IP54	4000	AC Powered	-	⊗	-	-
LED-621	 18W LED	IP65	1000	Rechargeable Li-ion	3.7V 6600 mAh	Micro USB	11	8
LED-650	 9W LED	IP65	500	Rechargeable Li-ion	3.7V 6600 mAh	Micro USB	4	9
LED-630	 15W LED	IP67	900	DC Powered	12V - 36V	⊗	-	-
LED-385	 20W COB	-	1000	Dry Cell	4 x AA Battery	⊗	4	0
LED-385RM	 20W COB	-	1000	Li-Po Battery	3.7V 5000 mAh	Micro USB	6	6
LED-370	 6W COB + 1W SMD	IP54	600	Rechargeable Li-ion	3.7V 2600 mAh	Micro USB	10	4
LED-390	 3W COB + 3W LED	-	150	Rechargeable Li-ion	3.7V 1200 mAh	Micro USB	2.5	2.5

		TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
LED-360		7W SMD + 3W LED	IP54	350	Rechargeable Li-ion	3.7V 2200 mAh	Micro USB	7	4
LED-375		10W COB + 2W SMD	IP65	1000	Rechargeable Li-ion	3.7 V 3350 mAh	Micro USB	5	5
LED-395		5W COB + 3W LED	-	350	Rechargeable Li-ion	3.7 V 2000 mAh	Micro USB	20	3
LED-396		10W COB + 3W LED	-	500	Rechargeable Li-ion	3.7 V 2000 mAh	Micro USB	3	3.5
LED-376U		10W COB + 3W UV	-	550	Rechargeable Li-ion	3.7V 2000 mAh	Type-C	15	3
LED-397		10W COB+ 3W LED	-	500	Rechargeable Li-ion	3.7 V 2400 mAh	Type-C	3	2.5
LED-185		4W COB+ 2W SMD+ 0.5W SMD	-	400	Rechargeable Li-ion	3.7 V 2600 mAh	Type-C	10	4
LED-186		10W COB + 1W LED	IP54	1000	Rechargeable Li-ion	3.7 V 2600 mAh	Type-C	16	4
LED-345		7W COB	-	650	Rechargeable Li-ion	3.7 V 4400 mAh	Micro USB	11	6
LED-346		7W COB + 1W UV	-	700	Rechargeable Li-ion	11.1V 2600 mAh	Type-C	8	4

		TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
LED-355		10W COB	-	1000	Rechargeable Li-ion	7.4V 2600 mAh	Type-C	5	4.5
LED-351		15W COB	-	1000	Rechargeable Li-ion	3.7 V 5200 mAh	Micro USB	7	4.5

FLASHLIGHTS

LED-140		3W COB	-	150	Dry Cell	3 X AA Battery	⊗	4	-
LED-150		2W COB	-	200	Rechargeable Li-ion	3.7 V 1800 mAh	Micro USB	3	3
LED-190		5W SMD	-	500	Rechargeable Li-Po	3.7 V 1800 mAh	Micro USB	2.5	3.5
LED-335		3W COB + 1W LED	-	180	Rechargeable Li-ion	3.7 V 800 mAh	Micro USB	3	2.5
LED-336		3W COB + 2W LED	-	300	Li-Po Battery	3.7V 650 mAh	Micro USB	2	2
LED-160		5W LED	IP54	150	Dry Cell	2 X AAA Battery	⊗	8	-
LED-165R		5W LED	IP54	250	Rechargeable Li-ion	3.7V 600 mAh	Micro USB	3.5	3
LED-170		10W LED	IP54	400	Dry Cell	3 X AAA Battery	⊗	20	-

		TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
LED-170R		10W LED	IP54	1000	Rechargeable Li-ion	3.6V 2600 mAh	Type-C	12	4
LED-175		5W COB + 3W LED	-	450	Rechargeable Li-ion	3.7V 800 mAh	Type-C	3	2.5
LED-402		7W LED	IP67	700	Rechargeable Li-ion	3.7V 2200 mAh	⊗	4.5	4
LED-131		0.5W LED	-	30	Dry Cell	4X1.5 LR44	⊗	4	-
LED-132		0.5W LED	-	30	Rechargeable Li-ion	3.7V 450 mAh	Micro USB	4	2.5

HEADLAMPS

LED-245		5W LED	IP54	500	Rechargeable Li-ion/ Dry Cell	3.7V 900mAh/ 1xAAA	Micro USB	18	4
LED-220		3W COB	-	150	Rechargeable Li-ion	3.7V 2200 mAh	Micro USB	12	4
LED-225		3W COB + 4W LED	-	500	Rechargeable Li-Po/ Dry Cell	3.7V 1000mAh/ 3 x AAA	Micro USB	10	3
LED-230		3W COB + 1W LED	-	160	Dry Cell	3 x AAA Battery	⊗	9	-
LED-250		5W COB + 3W LED	-	350	Li-Po Battery	3.7V 1200 mAh	Micro USB	8	2.5

FLOODLIGHTS

LED-505		12W LED	IP67	840	DC Powered	10V DC-30V DC	⊗	-	-
---------	---	---------	------	-----	------------	---------------	---	---	---

		TYPE & WATTAGE	IP RATING	MAX LUMENS	POWER SOURCE	BATTERY SPECIFICATION	CHARGING TYPE	MAX RUN TIME (HRS.)	CHARGE TIME (HRS.)
LED-501		15W LED	IP67	900	DC Powered	10V DC-30V DC	⊗	-	-
LED-502		15W LED	IP67	900	DC Powered	10V DC-30V DC	⊗	-	-
LED-501S		15W LED	IP67	1050	DC Powered	10V DC-30V DC	⊗	-	-
LED-520		15W LED	IP67	1050	DC Powered	12V DC-60V DC	⊗	-	-
LED-530		18W LED	IP67	1200	DC Powered	12V DC-60V DC	⊗	-	-
LED-512		27W LED	IP67	1890	DC Powered	9V DC-32V DC	⊗	-	-
LED-545		30W LED	IP67	2250	DC Powered	9V DC-32V DC	⊗	-	-
LED-541		45W LED	IP67	3150	DC Powered	9V DC-32V DC	⊗	-	-
LED-515		48W LED	IP67	3360	DC Powered	9V DC-32V DC	⊗	-	-

LIGHT BARS

LED-701		36W LED	IP67	2520	DC Powered	10V DC -30V DC	⊗	-	-
LED-711		72W LED	IP67	5040	DC Powered	10V DC -30V DC	⊗	-	-
LED-721		120W LED	IP67	8400	DC Powered	10V DC -30V DC	⊗	-	-

MARKETING SUPPORT



NO MOQ

**ORDER AS
MUCH AS
YOU NEED!**

**SMART & INFORMATIVE
PACKAGING**

**MERCHANDISER
DISPLAYS**



**PROMOTIONAL
MATERIAL**



**PRODUCT
VIDEOS**



Groz Engineering Tools Pvt. Ltd.
Groz Net Industries

CONNECT WITH US!



The GROZ name, GROZ logo and the  mark are trademarks of Groz Engineering Tools Pvt. Ltd., India